Saskatchewan
Ministry of
Agriculture

Crop Report

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 24, September 13, 2012

For the Period September 4 to 10, 2012

Fifty-six per cent of the 2012 crop has been harvested, well above the provincial five-year (2007-2011) average of 40 per cent. Twenty-eight per cent of the crop is swathed or ready to straight combine, according to Saskatchewan Agriculture's Weekly Crop Report.

Significant harvest progress was made across the province. The southwest has 85 per cent combined; the southeast 76 per cent; the east-central region 50 per cent; the west-central region 40 per cent; the northeast 31 per cent and the northwest 27 per cent. Forty-four per cent of spring wheat; 68 per cent of durum; 52 per cent of barley and canola; 76 per cent of mustard; 83 per cent of lentils and 94 per cent of field peas have been combined.

Provincially, topsoil moisture on cropland is rated as four per cent surplus, 58 per cent adequate, 30 per cent short and eight per cent very short. Hay land and pasture topsoil moisture is rated as two per cent surplus, 52 per cent adequate, 32 per cent short and 14 per cent very short.

Rainfall this week ranged from trace amounts in the majority of the province to 26 mm in some areas of the northwest. Strong winds have damaged some canola crops. The west-central and northwestern areas also received hailstorms that have caused some damage.

Harvest Progress in SK Per cent combined All Crops	
Sept 13/12	56
5 year avg. (2007-2011)	40
Sept 15/11	60
Sept 13/10	14
Sept 15/09	32
Sept 14/08	39
Sept 9/07	56

Farmers are busy harvesting, seeding winter cereals, hauling bales and controlling weeds.

One year ago

Sixty per cent of the 2011 crop had been combined. Below zero temperatures were reported in some areas. Crop quality was good and yields were average to above average for most of the province.

Follow the 2012 Crop Report on Twitter @SKGovAg

Saskatchewan Harvest September 10, 2012 % combined	
Winter wheat	99
Fall rye*	93
Spring wheat	44
Durum	68
Barley	52
Oats	24
Canaryseed	12
Flax	12
Canola	52
Mustard	76
Lentils	83
Peas	94
Chickpeas	61
*includes seven per cent 'other'	

For further information, contact: Grant McLean, PAg,
Cropping Management Specialist, Agriculture Knowledge Centre,
Toll Free: 1-866-457-2377, E-mail: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at www.agriculture.gov.sk.ca.

Agriculture and Agri-Food Canada | Agriculture et Agroalimentaire Canada

SCIC
SASKATCHEWAN CROP INSURANCE CORPORATION

Southeastern Saskatchewan (Crop Districts 1, 2, and 3ASE)

Harvest is progressing well in the region due to warm and dry weather. The majority of the region did not receive any rainfall this past week, although the Frobisher area received 3 mm. Since April 1, rainfall in the region has ranged from 237 mm (Carnduff area) to 532 mm (Tantallon area).

Producers now have 76 per cent of the 2012 crop combined, up from 56 per cent last week. An additional 12 per cent is swathed or ready to straight combine. One hundred per cent of the winter wheat and fall rye, 73 per cent of the spring wheat, 70 per cent of the durum, 72 per cent of the barley, 35 per cent of the canaryseed, 97 per cent of the lentils and peas, 93 per cent of the chickpeas and 23 per cent of the flax have been combined. Eighty-two per cent of the canola and 92 per cent of the mustard are combined, while an additional 16 per cent of canola is swathed or ready to straight combine.

Topsoil is becoming increasingly dry in many areas of the region. Topsoil moisture ratings on cropland are reported as one per cent surplus, 45 per cent adequate, 46 per cent short and eight per cent very short. On hay land and pasture, topsoil moisture is rated as one per cent surplus, 40 per cent adequate, 50 per cent short and nine per cent very short. Crop District 1A is reporting that 25 per cent of cropland and 30 per cent hay land and pasture are very short of moisture. A significant rainfall will be needed after harvest to recharge the soil.

Crop damage this week is due to wind and drought stress. Strong winds throughout the week have damaged many crops and blown swaths across fields. Canola yields continue to be disappointing in most of the region. Cereal yields range from lower than average to above average, depending on seeding date and moisture conditions. Flax crops in many areas of the region still need time to mature and many producers are applying pre-harvest chemical applications. Some producers are seeding winter cereals, although many are waiting for rain before seeding. There have been some reports of wildlife feeding on crops. Many livestock producers are baling a second cut of hay.
Producers are swathing, combining, seeding winter cereals and hauling bales.

Southwestern Saskatchewan (Crop Districts 3ASW, 3AN, 3B and 4)

Very little rainfall was received in the region this past week. The Vanguard area received 2 mm, while the Webb, Kyle and Leader areas received 1 mm. Since April 1, rainfall in the region has ranged from 197 mm (Assiniboia area) to 384 mm (Eyebrow area). Assiniboia has recorded the least cumulative rainfall in the province.

Producers now have 85 per cent of the 2012 combined, significantly up from 69 per cent last week. An additional eight per cent is swathed or ready to straight combine. Ninety-eight per cent of the winter wheat, 79 per cent of the spring wheat, 80 per cent of the durum, 60 per cent of the oats, 88 per cent of the barley, 97 per cent of the lentils, 98 per cent of the peas, 59 per cent of the chickpeas, 95 per cent of the canola and 98 per cent of the mustard have been combined. Many producers have indicated that they will be done harvest in the coming week if the warm weather holds.

Moisture conditions in the region continue to worsen due to the high temperatures and lack of rain over the past few months. Topsoil moisture on cropland is rated as 10 per cent adequate, 58 per cent short and 32 per cent very short. Hay land and pasture topsoil moisture conditions are nine per cent adequate, 49 per cent short and 42 per cent very short. A significant rainfall is needed after harvest in the majority of the region to help recharge the soil.

Wind, insects and drought have caused the most crop damage this week. Strong winds throughout the week have damaged crops and contributed to several field fires. Wheat midge damage is being found in many combined wheat crops. Grasshoppers are damaging some remaining crops. Some producers are seeding winter cereals, although many are waiting for rain before seeding. Many fields have cracks and the soil has become hard. Sloughs have dried up and some producers are baling the grass around them. Yields continue to be disappointing, although some later-seeded crops are yielding above average. There have been reports of rusty grain beetles in bins, and many producers are aerating grain. Some livestock producers are moving cattle to healthier pastures or are supplementing their diets with hay bales.
Producers are busy combining, hauling bales and grain, seeding winter cereals and aerating grain.

East-Central Saskatchewan (Crop Districts 5 and 6a)

The region received little rainfall this past week, helping to progress harvest. The Langenburg and Rama areas received 3 mm of rain, the Saltcoats and Kelvington areas 1 mm, the Elfros and Jansen areas 4 mm and the Sturgis area 5 mm. Since April 1, cumulative rainfall in the region has ranged from 268 mm (Quill Lake area) to 496 mm (Jedburgh area).

Harvest has significantly progressed and producers now have 50 per cent of the 2012 crop in the bin, up from 28 per cent last week. An additional 35 per cent is swathed or ready to straight combine. One hundred per cent of the winter wheat and fall rye, 51 per cent of the spring wheat, 47 per cent of the durum, 58 per cent of the barley, 88 per cent of the lentils, 94 per cent of the peas, 75 per cent of the chickpeas, 48 per cent of the canola, 39 per cent of the mustard and two per cent of the flax have been combined. Twenty per cent of the spring wheat, 31 per cent of the oats, 20 per cent of the barley, 43 per cent of the canola and 45 per cent of the mustard is swathed or ready to straight combine.
Topsoil continues to be dry in the region. Cropland topsoil moisture is rated 71 per cent adequate, 27 per cent short and two per cent very short. Hay land and pasture topsoil moisture is rated as 67 per cent adequate, 31 per cent short and two per cent very short. Strong winds this week have caused the majority of crop damage by blowing swaths around and shelling standing pulses and canola. Yields continue to be lower than expected, although some later-seeded crops are yielding average to above average. Crop quality is variable as crops were damaged by fusarium and wheat midge. Some canola and cereal crops are not maturing and there are concerns about green kernels. There may be harvest challenges in some areas due to uneven maturation.

Producers are busy combining, swathing, hauling grain and controlling weeds.

West-Central Saskatchewan (Crop Districts 6B and 7)

Varying amounts of rain fell this past week in the region and many crops were damaged by hailstorms. The Dinsmore area received 6 mm, the Radisson area 12 mm, the Rosetown area 1 mm, the Kindersley area 8 mm, the Smiley area 5 mm, the Luseland area 15 mm, the Major area 13 mm and the Battleford area 20 mm. Since April 1, cumulative precipitation in the region has ranged from 316 mm (Netherhill area) to 556 mm (Battleford area). The Battleford area has the second-highest cumulative rainfall total in the province since April 1.

Forty per cent of the 2012 crop is now in the bin, up from 23 per cent last week. An additional 33 per cent is swathed or ready to straight combine. One hundred per cent of the winter wheat and fall rye, 17 per cent of the spring wheat, eight per cent of the durum, 31 per cent of the barley, 52 per cent of the lentils, 90 per cent of the peas, 53 per cent of the canola, 20 per cent of the mustard and six per cent of the flax is combined. Forty-one per cent of the canola and 26 per cent of the mustard are swathed. Warm and dry weather is needed to advance the maturity of many later-seeded crops.

Topsoil moisture conditions are rated as two per cent surplus, 81 per cent adequate and 17 per cent short on cropland. Hay land and pasture topsoil moisture conditions are rated as one per cent surplus, 77 per cent adequate and 22 per cent short.

Strong winds and hail have damaged many crops in the region and blown some grain bins over. Early hail damage estimates range from minimal to severe. Yields continue to be disappointing but many farmers are optimistic about later-seeded crops. Cereal samples have been damaged by ergot, fusarium and wheat midge. Seed quality will be an issue for many producers in the region. Some fields are being sprayed for post-harvest weed control.

Producers are busy hauling bales, swathing crops, fixing equipment and combining.

Northeastern Saskatchewan (Crop Districts 8 and 9AE)

Small amounts of rainfall were received in most of the region. The Tisdale and Birch Hills areas received 1 mm of rain, the Bruno area 9 mm, the Alvena area 7 mm, the Prince Albert area 6 mm and the Garrick area 3 mm. The Alvena area has recorded the least amount of rainfall since April 1 (395 mm), while the Kinistino area has received the greatest cumulative rainfall in both the region and the province (623 mm).

Thirty-one per cent of the 2012 crops is in the bin and an additional 53 per cent is swathed or ready to straight combine. One hundred per cent of the winter wheat, 97 per cent of the fall rye, 27 per cent of the spring wheat, 20 per cent of the durum, 41 per cent of the barley, 86 per cent of the lentils, 94 per cent of the peas and 28 per cent of the canola have been combined. An additional 19 per cent of the spring wheat, 33 per cent of the durum, 64 per cent of the canola and 39 per cent of the mustard are swathed or ready to straight combine.

Topsoil moisture conditions are improving with the warm weather and lack of significant rainfall. Cropland topsoil moisture is rated as 24 per cent surplus, 75 per cent adequate and one per cent short. Hay land and pasture topsoil moisture is rated as six per cent surplus, 89 per cent adequate and five per cent short. Crop District 9AE is reporting that 50 per cent of cropland has surplus topsoil moisture.

Crop damage this week is attributed mainly to wind. Strong winds throughout the week have damaged many crops and blown swaths across fields. Many producers have indicated that crop damage and yield loss due to wind will be significant. Many crops that would normally be straight cut are now being swathed due to weather delays and damage. Some fields and access roads remain soft, although field conditions are improving. There have been many reports of equipment stuck in fields. Crops are being combined tough and quality may be an issue; many barley crops are coming off light. Yields are variable and range from below average to average in most parts of the region.
Producers are busy hauling bales and grain, swathing and combining.

Northwestern Saskatchewan (Crop Districts 9AW and 9B)

The region continued to receive significant rainfall this past week, delaying harvest. Rainfall varied from trace amounts to 26 mm in the Barthel area. The Speers area received 1 mm of rain, the Rabbit Lake and North Battleford areas 12 mm, the Glaslyn area 18 mm, the Turtleford area 20 mm, the St. Walburg area 16 mm, the Meadow Lake area 5 mm and the Pierceland area 4 mm. Since April 1, cumulative rainfall in the region has varied from 324 mm (St. Walburg area) to 489 mm (Glaslyn area).

Harvest is progressing and producers now have 27 per cent of the 2012 crop harvested, up from 12 per cent last week. Fifty-three per cent of the crop is swathed or ready to straight combine. One hundred per cent of the winter wheat and fall rye, 21 per cent of the spring wheat, 24 per cent of the barley, 65 per cent of the lentils, 84 per cent of the peas and 25 per cent of the canola is combined. Seventeen per cent of the spring wheat, 33 per cent of the barley, 65 per cent of the canola and 25 per cent of the flax is swathed. Topsoil moisture conditions on cropland are nine per cent surplus and 91 per cent adequate. Pasture and hay land topsoil moisture conditions are five per cent surplus, 94 per cent adequate and one per cent very short.

Strong winds, hailstorms and rain have damaged many of the crops in the region. Many crops that would normally be straight cut are now being swathed due to weather delays and damage. Crop quality is an issue in some areas and there will be downgrading at the elevator due to disease, insects and bleaching. Yields are disappointing, although some crops are yielding average to above average. Some fields and access roads are soft and there have been many reports of equipment getting stuck. There are reports of frost, although damage varies.

Producers are busy hauling bales, swathing and combining.

Saskatchewan Harvest Progress September 10, 2012

Winter Wheat	% Standing	% in swath	% ready to straight combine	% combined
SE	0	0	0	100
SW*	0	0	0	98
EC	0	0	0	100
WC	0	0	0	100
NE	0	0	0	100
NW	0	0	0	100

* two per cent is rated as 'other'

Fall Rye	% Standing	% in swath	% ready to straight combine	% combined
SE	0	0	0	100
SW*	0	0	0	82
EC	0	0	0	100
WC	0	0	0	100
NE**	0	0	0	97
NW	0	0	0	100

* 18 per cent is rated as 'other'
** three per cent is rated as 'other'

Spring Wheat	% Standing	% in swath	% ready to straight combine	% combined
SE	12	10	5	73
SW	9	2	10	79
EC	15	20	14	51
WC	45	14	24	17
NE	22	19	32	27
NW	31	17	31	21

Durum	% Standing	% in swath	% ready to straight combine	% combined
SE	21	6	3	70
SW	7	2	11	80
EC	17	17	19	47
WC	67	11	14	8
NE	3	32	45	20
NW	N/A	N/A	N/A	N/A

Oats	% Standing	% in swath	% ready to straight combine	% combined
SE*	19	29	1	49
SW**	11	13	12	60
EC	42	31	7	20
WC*	46	18	17	17
NE***	33	10	33	23
NW*	53	26	13	6

* two per cent is rated as 'other'
** four per cent is rated as 'other'
*** one per cent is rated as 'other'

Barley	% Standing	% in swath	% ready to straight combine	% combined
SE*	12	12	3	72
SW**	5	4	3	88
EC*	15	20	6	58
WC	39	17	13	31
NE	23	13	23	41
NW	35	33	8	24

* one per cent is rated as 'other'

Canaryseed	% Standing	% in swath	% ready to straight combine	% combined
SE	58	6	1	35
SW	97	0	3	0
EC	81	3	11	5
WC	76	9	11	4
NE	74	12	10	4
NW	N/A	N/A	N/A	N/A

Lentils	% Standing	% in swath	% ready to straight combine	% combined
SE	3	0	0	97
SW	0	1	2	97
EC	6	1	5	88
WC	17	8	23	52
NE*	0	5	7	86
NW	35	0	0	65

* two per cent is rated as 'other'

Peas	% Standing	% in swath	% ready to straight combine	% combined
SE	2	0	1	97
SW	1	0	1	98
EC	2	2	2	94
WC	2	2	6	90
NE	0	2	4	94
NW	4	5	7	84

Chickpeas	% Standing	% in swath	% ready to straight combine	% combined
SE	2	3	2	93
SW	33	1	7	59
EC	0	0	25	75
WC	100	0	0	0
NE	N/A	N/A	N/A	N/A
NW	N/A	N/A	N/A	N/A

Canola	% Standing	% in swath	% ready to straight combine	% combined
SE	2	16	0	82
SW	2	2	1	95
EC	8	43	1	48
WC	5	41	1	53
NE	5	64	3	28
NW	4	65	6	25

Mustard	% Standing	% in swath	% ready to straight combine	% combined
SE	8	0	0	92
SW	1	1	0	98
EC	16	45	0	39
WC	44	27	3	26
NE*	40	39	20	0
NW	N/A	N/A	N/A	N/A

* one per cent is rated as 'other'

Flax	% Standing	% in swath	% ready to straight combine	% combined
SE	76	1	0	23
SW	83	4	4	9
EC	89	4	5	2
WC	94	6	0	0
NE	89	5	2	4
NW	75	25	0	0

Triticale	% Standing	% in swath	% ready to straight combine	% combined
SE	N/A	N/A	N/A	N/A
SW*	9	8	6	56
EC	0	70	0	30
WC	32	17	33	18
NE	0	0	100	0
NW	N/A	N/A	N/A	N/A

* 21 per cent is rated as 'other'

Crop Districts and Rural Municipalities in Saskatchewan



Weekly Rainfall

for the week ending September 10, 2012



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2012 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: September 12, 2012

Weekly Rainfall Summary

(in millimeters) 1 inch = 25 mm for the period September 4 to 10, 2012

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
1A	1	Argyle	N/A	181
	2	Mount Pleasant	NIL	237
	3	Enniskillen	3	314
	33	Moose Creek	NIL	266
	34	Browning	N/A	230
	61 A	Antler	N/A	309
	61 B	Antler	N/A	26
	63	Moose Mountain	N/A	364.3
	64	Brock	NIL	327
	65	Tecumseh	N/A	326
1B	91	Maryfield	NIL	344
	92	Walpole	N/A	302
	95	Golden West	N/A	301
	122	Martin	N/A	415
	123	Silverwood	N/A	384
	124	Kingsley	NIL	281
	151 A	Rocanville	NIL	532
	151 B	Rocanville	NIL	488
	153	Willowdale	N/A	391
	154	Elcapo	NIL	272
	155	Wolseley	NIL	388
2A	66	Griffin	N/A	N/A
	67	Weyburn	N/A	208
	68	Brokenshell	NIL	252
	69	Norton	N/A	N/A
	97	Wellington	NIL	338
2B	127 A	Francis	NIL	385.5
	127 B	Francis	NIL	266.7
	129	Bratt's Lake	NIL	317.5
	131	Baildon	NIL	380
	156	Indian Head	NIL	448.5
	160 A	Pense	N/A	327
	160 B	Pense	NIL	334
	161	Moose Jaw	NIL	364
	162	Caron	NIL	410.7
	191	Marquis	NIL	309
3ASE	38 A	Laurier	NIL	285
	38 B	Laurier	N/A	233
	39 A	The Gap	N/A	190
	39 B	The Gap	N/A	244
3ASW	10	Happy Valley	NIL	240
	12	Poplar Valley	N/A	275
	40	Bengough	NIL	213
	42	Willow Bunch	NIL	300
	43	Old Post	NIL	299
	44	Waverley	N/A	263
	70	Key West	N/A	160
	71	Excel	NIL	197
	73 A	Stonehenge	N/A	215.3
	73 B	Stonehenge	NIL	265
	74	Wood River	NIL	208.1
3AN	101	Terrell	NIL	313
	102	Lake Johnston	NIL	260.9
	103	Sutton	NIL	263
	104	Gravelbourg	N/A	254.5
	132	Hillsborough	NIL	379
	134	Shamrock	NIL	250
	164	Chaplin	NIL	244
	193 A	Eyebrow	NIL	312
	193 B	Eyebrow	NIL	384
	194	Enfield	N/A	358
3BS	17	Val Marie	N/A	457
	18	Lone Tree	N/A	N/A
	45	Mankota	N/A	329
	75 A	Pinto Creek	NIL	359
	75 B	Pinto Creek	NIL	255
	76 A	Auvergne	NIL	309
	76 B	Auvergne	NIL	306
	77	Wise Creek	NIL	262
	78 A	Grassy Creek	N/A	267
	78 B	Grassy Creek	NIL	220.5
	78 C	Grassy Creek	N/A	233
	105	Glenbain	NIL	281
	106	Whiska Creek	2	324
	107	Lac Pelletier	N/A	262
	108	Bone Creek	NIL	274
3BN	138	Webb	1	315
	166	Excelsior	NIL	366
	167	Sask. Landing	NIL	335.8
	168	Riverside	NIL	233
	226	Victory	N/A	398
	228	Lacadena	NIL	289
	257	Monet	1	311.7

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
4A	19	Frontier	NIL	217.6
	49	White Valley	N/A	247
	51	Reno	N/A	200.5
	79	Arlington	NIL	219
	109	Carmichael	NIL	346
	110	Piapot	NIL	244
	111	Maple Creek	N/A	314
4B	139	Gull Lake	NIL	315
	141	Big Stick	1	322
	142	Enterprise	N/A	215
	169	Pittville	N/A	221
	231	Happyland	1	252
5A	183	Fertile Belt	NIL	465
	186	Abernethy	NIL	415
	211	Churchbridge	3	418
	213	Saltcoats	1	392
	214	Cana	N/A	N/A
	216	Tullymet	NIL	408
	217	Lipton	NIL	384
	241	Calder	NIL	389
	243	Wallace	NIL	342
	245 A	Garry	N/A	467
	245 B	Garry	NIL	496
	245 C	Garry	NIL	425
	246	Ituna Bon Accord	NIL	374
	247	Kellross	3	376
	248	Touchwood	NIL	314
5B	271	Cote	1	474
	276	Foam Lake	N/A	288.5
	277	Emerald	NIL	459
	305	Invermay	3	389
	307	Elfros	4	445
	308	Big Quill	1	292
	333 A	Clayton	N/A	258.8
	334	Preeceville	5	375
	336	Sasman	2	380
	337	Lakeview	N/A	371
	338	Lakeside	1	268
	366	Kelvington	1	429
6A	189	Lumsden	N/A	321
	190 A	Dufferin	NIL	312
	190 B	Dufferin	NIL	308
	190 C	Dufferin	NIL	274
	190 D	Dufferin	N/A	403.4
	219	Longlaketon	N/A	280
	220	Mckillop	NIL	316
	221	Sarnia	NIL	298.5
	222	Craik	1	378
	251	Big Arm	NIL	283
	252	Arm River	NIL	295
	279	Mount Hope	NIL	309
	282	McCraney	1	406
	309	Prairie Rose	4	307
	313	Lost River	N/A	300
	339	Leroy	2	439.5
	340	Wolverine	1	378
	341	Viscount	N/A	352
	343	Blucher	NIL	373.5
	283	Rosedale	1	338
6B	284	Rudy	3	546
	285	Fertile Valley	NIL	457
	286	Milden	6	410
	314	Dundurn	NIL	362
	344	Corman Park	NIL	412
	346	Perdue	NIL	472
	376 A	Eagle Creek	NIL	406
	376 B	Eagle Creek	NIL	546
	403	Rosthern	12	442
	259	Snipe Lake	N/A	410.1
7A	260 A	Newcombe	N/A	238
	260 B	Newcombe	N/A	310
	287	St. Andrews	NIL	415
	288	Pleasant Valley	2	413
	290	Kindersley	1	316
	292	Milton	N/A	433.5
	317 A	Marriott	NIL	373
	317 B	Marriott	NIL	411
	318	Mountain View	NIL	413
	320 A	Oakdale	NIL	356
	320 B	Oakdale	8	333
	321	Prairiedale	5	372

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
7B	347 A	Biggar	NIL	430
	347 B	Biggar	N/A	367
	350 A	Manposa	NIL	480.4
	350 B	Manposa	4	406
	351	Progress	15	410
	352	Heart's Hill	13	439
	377	Glenside	NIL	512
	378 A	Rosemount	1	471
	378 B	Rosemount	NIL	480
	379	Reford	1	454
	381	Grass Lake	N/A	407
	409 A	Buffalo	20	556
	409 B	Buffalo	N/A	386.8
	410	Round Valley	0.4	316.9
	411	Senlac	N/A	437
8A	395	Porcupine	2	464
	397	Barrier Valley	1.3	458.3
	428	Star City	N/A	426
	456	Arborfield	1	529
	457	Connaught	NIL	622
	458	Willow Creek	NIL	429
	486	Moose Range	NIL	472
	487	Nipawin	NIL	567
8B	369	St. Peter	N/A	442
	370	Humboldt	2	468
	371	Bayne	9	537
	372	Grant	2.1	459.9
	402	Fish Creek	7	395
	429	Flett's Springs	1	479
	459	Kinistino	NIL	623
	460	Birch Hills	1.1	496.1
9AE	461	Prince Albert	8	467.5
	488	Torch River	3	430
	491	Buckland	4	439.9
9AW	406	Mayfield	NIL	454
	435	Redberry	NIL	450
	436	Douglas	1	386
	463	Duck Lake	1	422
	464	Leask	N/A	15
	467 A	Round Hill	2	366
	467 B	Round Hill	12	378
	494	Canwood	N/A	387
	497	Medstead	N/A	368
9B	438	Battle River	12	448
	440	Hillsdale	NIL	386.5
	442	Manitou Lake	14.7	375.4
	468 B	Meota	N/A	38
	498 A	Parkdale	20	489
	498 B	Parkdale	16	388
	499	Mervin	20	410.6
	501 A	Frenchman Butte	N/A	402
	501 B	Frenchman Butte	16	324
	501 C	Frenchman Butte	8	471
	561	Loon Lake	26	470
	588 A	Meadow Lake	4	475
	588 B	Meadow Lake	5	427
	588 C	Meadow Lake	NIL	410
	588 D	Meadow Lake	N/A	403.6
	622	Beaver River	4	364

Municipality No: A, B, C, and D - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

Cumulative Rainfall

From: April 1, 2012
To: September 10, 2012



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2012 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13 Datum: NAD83

N W E S

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: September 12, 2012

Cropland Topsoil Moisture Conditions

September 11, 2012



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2012 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: September 12, 2012

Hay and Pasture Topsoil Moisture Conditions

September 11, 2012



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2012 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: September 12, 2012